

Features ActivePure® Technology proven to reduce viruses, bacteria, and other pathogens (full list of tested pathogens available below in "The Proof").

THE TECHNOLOGY

The FreshAir Mobile is a device intended for the reduction of contaminants in the air in smaller indoor and personal spaces. Ideal for travel, work stations, small offices, and vehicles. Patented ActivePure Technology is an advanced surface and air purification technology.

ActivePure Technology does not replace the need to follow public health guidelines and should be used as complementary technology.

THE PROOF

In extensive unaffiliated lab testing, ActivePure® Technology has been proven to significantly reduce the following contaminants and pathogens¹:

- SARS-CoV-2
- · Staphylococcus aureus
- Aspergillus niger endospores
- H1N1 Influenza
- H5N8 Influenza
- MRSA
- · Bacillus globigii
- · MS2 Bacteriophage
- Staphylococcus epidermidis
- PhiX-174
- · Erwinia herbicola

- Listeria monocytogenes
- Murine Norovirus
- · E. coli
- · Candida auris
- · Botrytis cinerea
- Sclerotinia sclerotiorum
- Legionella pneumophila
- · Aspergillus versicolor
- · Clostridium difficile
- Salmonella enterica

THE BENEFITS

The FreshAir Mobile lets you bring our proprietary ActivePure Technology with you on the go, to help reduce surface and airborne contaminants, and odors. Multiple settings let you customize and optimize its usage for multiple environments ranging from a car, hotel room, small office or camper.

- Touch sensitive settings to provide ease of operation and function
- · Removes odors and freshens air
- Uses a UVC light and ActivePure screen matrix to help purify the air
- Base is designed with multiple mounting options
- Wire Stand allows for independent use from the base and various options to set or hang the unit
- Comes with both a 12 volt DC car adapter and a 100 240 volt 50/60 Hz AC adapter with interchangeable plugs



¹ View test results at Vollara.com/scientific-proof







Inducted into the 2017 Space Technology Hall of Fame by the Space Foundation

FRESH AIR Mobile

SPECIFICATIONS

SI ESII ISATISINS	
Product Information	9940059 Model: A1018D NOTE: This unit does not meet California requirements and cannot be shipped in California.
Technology Included	ActivePure® Technology
Electrical	12VDC or 110 - 240 VAC 50/60Hz with adapter Power Usage: 12 Volts, 10.7 Watts Max
Mechanical	Fuse: 2 Amp Buss type (12VDC adapter only) 3-speed fan
Safety	Conforms to UL 867
Weight & Dimensions	8 ounces (0.22 kg) 3.625" W x 6" H x 1.0" D (w/o base) (9.21 cm x 15.25 cm x 2.54 cm)
Operating Temperature	45°F – 100°F (7°C – 38°C)
Coverage ¹	Up to 50 sq. ft. (4.6 m²) for single occupant use. Dependent on occupancy of the space.¹
Warranty	Limited 1 year warranty



	Contact Name:
<u>-</u>	Email:
•	Phone Number: